



# SAFETY DATA SHEET

acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

## 1 Identification

- **Product Identifier**
- **Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A**  
**For: BAREFOOT 60, UNIVERSAL 40, HEAVYDUTY 20**
- **Article number:** 3007-1, 3007-2, 3007-3
- **Relevant identified uses of the substance or mixture.** Non-skid floor coating
- **Description:** A two component clear solvent free non-skid epoxy mixture, base part.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Wooster Products, Inc.  
1000 Spruce Street  
Wooster, OH 44691  
Phone Number: 1-800-321-4936/330-264-2844
- **Information department:** sales@wooster-products.com
- **Responsible for the safety data sheet:** Matt Gray
- **Emergency telephone number: Chem-Trec: 1-800-424-9300**

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2	H315	Causes skin irritation
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction

### -Label elements

-GHS label elements This product is classified and labeled according to the Globally Harmonized System (GHS).

### -Hazard pictograms



GHS07

- **Signal word** Warning
- **Hazard statements**  
Causes skin irritation.  
Causes eye irritation.  
May cause an allergic skin reaction.  
May be harmful if swallowed.
- **Precautionary statements**  
If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Avoid breathing dust/fume/gas/mist/vapors/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the work place.

(Contd. on page 2)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

<b>Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A</b>
---

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Specific treatment (see on this label).  
 Take off contaminated clothing and wash before reuse.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 If on skin: Wash with plenty of water.  
 Dispose of contents/container in accordance with local/regional/federal regulations.

- **Classification system:**
- **NFPA rating (scale 0 - 4)**  
   Health = 2  
   Fire = 1  
   Reactivity = 0
- **HMIS-rating (scale 0-4)**  
   Health = 2  
   Fire = 1  
   Physical hazards = 0
- **Other hazards**
- **PBT/vPvB:** not applicable

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixtures

·CAS numbers

Components:

CAS numbers	Components:	
25068-38-6	Epoxy resin	80–90%
	Fumed silica	<1%
25656-90-0	Poly allyl diglycol carbonate	<20%

### 4 First-aid measures

- **Description of first aid measures:**
- **After Inhalation:**  
   Supply fresh air or oxygen; call for doctor.
- **After Skin contact:**  
   Wipe excess from skin.  
   Immediately wash with water and soap and rinse thoroughly.
- **After Eye contact:**  
   Rinse opened eye thoroughly for 20 minutes under running water. Do not rub. Abrasion may cause irritation. If discomfort continues, continue to wash with water. If discomfort persist, consult a doctor.
- **After Swallowing:**  
   Rinse out mouth with water. Drink 1-2 glasses of water but do not induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.  
   Seek medical treatment.
- **Information for doctor:**  
   **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
   No further relevant information available.

(Cont. on page 3)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

<b>Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A</b>
---

(Cont. of page 2)

### 5 *Fire-fighting measures*

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder, or water spray.  
Use fire-fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and protective respiratory protective device.

### 6 *Accidental release measures*

- **Personal precautions protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal, state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 *Handling and storage*

- **Precautions for safe handling**  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool well ventilated location away from direct heat.
- **Information about storage in one common storage facility:** Keep away from open flames, oxidizing agents and high temperatures.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

**Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A**

(Cont. of page 3)

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information: The lists that were valid during the creation were used as basis.**
- **Exposure controls:**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well ventilated.
- **Protection of hands:**



Protective gloves.

The glove material has to be impermeable and resistant to the produce/the substance/the preparation.

- **Material of gloves**  
Nitrile rubber, NBR  
Chloroprene rubber, CR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses with side shields.



Tightly sealed goggles.

- **Body protection:** Protective work clothing.

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General information**
- **Appearance**

<b>Form:</b>	Liquid
<b>Color:</b>	Clear
- **Odor:** Characteristic
- **Odor threshold:** Not determined

(Contd. on page 5)

## SAFETY DATA SHEET

### acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

<b>Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A</b>
---

(Cont. of page 4)

<b>· pH-value:</b>	Not determined
<b>· Change in condition</b>	
<b>· Melting point:</b>	Undetermined.
<b>· Boiling point:</b>	Undetermined.
<b>· Flash point :</b>	> 150 °C (>302 °F)
<b>· Flammability (solid, gaseous):</b>	Not applicable
<b>· Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
<b>· Vapor pressure:</b>	Not determined.
<b>· Specific gravity at 20 °C (68 °F):</b>	9.8 lbs./gal
<b>· Relative density:</b>	Not determined.
<b>· Vapor density:</b>	Not determined.
<b>· Evaporation rate:</b>	Not determined.
<b>· Solubility in/Miscibility with Water:</b>	Not miscible or difficult to mix.
<b>· Partition coefficient (n-octanol/water):</b>	Not determined.
<b>· Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>VOC (Per EPA 24):</b>	Not available GMS/L.
<b>· Other information</b>	No further relevant information available.

### **10 Stability and reactivity**

- Reactivity**
- Chemical stability**
- Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions:** No further information is available.
- Conditions to avoid:** Exposures to high temperatures.
- Incompatible materials:** Reacts with oxidizing agents.
- Hazardous decomposition products:** Smoke, propane, carbon monoxide and carbon dioxide, aldehydes, acids.

(Contd. on page 6)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

<b>Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A</b>
---

(Contd. of page 5)

### 11 Toxicological information

**. Information on toxicological effects**

- . **Acute toxicity:**
- . **Primary irritant effect:**
- . **on the skin:** Skin irritant
- . **on the eye:** Irritating effect
- . **Sensitization:** Skin contact - Sensitization possible through skin contact
- . **Additional toxicological information:**  
Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product.
- . **Carcinogenic categories**

<b>. IARC (International Agency for Research on Cancer)</b>
---

None of the ingredients listed.
---------------------------------

<b>. NTP (National Toxicology Program)</b>
--

None of the ingredients listed.
---------------------------------

<b>. OSHA – Ca (Occupational Safety and Health Administration)</b>
--

None of the ingredients listed
--------------------------------

### 12 Ecological information

- . **Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **Persistence and degradability:** No further relevant information available.
- . **Behavior in environmental systems:**
- . **Bioaccumulative potential:** No further relevant information available.
- . **Mobility in soil:** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Remark:** Toxic for fish.
- . **Additional ecological information:**
- . **General notes:** At present there is no ecotoxicological assessment.
- . **Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **VpvB:** Not applicable.
- . **Other adverse effects:** No further relevant information available.

### 13 Disposal considerations

- . **Waste treatment methods**
- . **Recommendation:**  
Must be specifically treated adhering to official regulations.
- . **Uncleaned packagings:**
- . **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

<b>Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A</b>
---

(Contd. of page 6)

### 14 Transport information

**Transport hazard class(es)**

<ul style="list-style-type: none"> <li>· DOT</li> <li>· Class</li> </ul>	not regulated (domestic ground, non-bulk)
--	---

· UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Epoxy Resin), 9, III
--------------------------	--

### 15 Regulatory information

**· Safety, health and environmental regulations specific for the substance or mixture.**
**· Sara**

<b>· Section 355 (extremely hazardous substances):</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Section 313 (Specific toxic chemical listings):</b>
--

None of the ingredients is listed.
------------------------------------

<b>· TSCA (Toxic Substances Control Act):</b>
---

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
--

**· Proposition 65**

<b>· Chemicals known to cause cancer:</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause reproductive toxicity:</b>
--

None of the ingredients is listed.
------------------------------------

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL.

**· Carcinogenicity categories**

<b>· EPA (Environmental Protection Agency)</b>
--

None of the ingredients listed.
---------------------------------

<b>· TLV (Threshold limit value established by ACGIH)</b>
---

None of the ingredients listed.
---------------------------------

<b>· NIOSH – Ca (National Institute for Occupational Safety and Health)</b>
---

None of the ingredients listed.
---------------------------------

<b>· OSHA – Ca (Occupational Safety and Health Administration)</b>
--

None of the ingredients listed.
---------------------------------

**· National regulations:**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

# SAFETY DATA SHEET

## acc. to OSHA HCS

Printing Date 05/05/2022

Revision Date 05/05/2022

**Trade Name: WALK-A-SURED WATER CLEAR EPOXY- PART A**

(Contd. of page 7)

### ***16 Other information***

Although the information and recommendations contained in this SDS are presented in good faith and are believed to be correct as the date of this SDS, Wooster Products makes no representations as to the completeness or accuracy thereof. Final determination of suitability of any material is the sole responsibility of the user. In no event will Wooster Products or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

#### **. Abbreviations and acronyms:**

**DOT:** US Department of Transportation.

**CAS:** Chemical Abstract Services (division of the American Chemical Society)

**NFPA:** National Fire Protection Association (USA)

**HMIS:** Hazardous Materials Identification Systems