Printing Date 04/01/2023

Revision Date 04/01/2023

## 1. Identification

- Product Identifier
- Trade Name: Wooster Products Stair Saver Epoxy Kit, Epoxy Part A
- Article number: 2010
- Relevant identified uses of the substance or mixture: Anti-slip aggregate component, Epoxy Part A

Description: Wooster Products Stair Saver Epoxy Kit is designed for repair and refurbishment of embedded stair treads.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Wooster Products, Inc. 1000 Spruce Street Wooster, OH 44691

Phone Number: 1-800-321-4936/330-264-2844

- Information department: sales@wooster-products.com
- Contact for the safety data sheet: Matt Gray
- Emergency telephone number: Chem-Trec: 1-800-424-9300

## 2. Hazards identification

· Classification of the substance or mixture



#### GHS07

Skin Irrit. 2 H315 Causes skin irritation
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction

## -Label elements

-GHS label elements This product is classified and labeled according to the Globally Harmonized System (GHS).

## -Hazard pictograms



#### GHS07

· Signal word Warning

## · Hazard statements

Causes skin irritation.

Causes eye irritation.

May cause an allergic skin reaction.

May be harmful if swallowed.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the work place.

Printing Date 04/01/2023

Revision Date 04/01/2023

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/federal regulations.

- · Classification system:
- · NFPA rating (scale 0 4)

Health = 2

Fire = 1

Reactivity = 0

· HMIS-rating (scale 0-4)

Health = 2

Fire = 1

Physical hazards = 0

- · Other hazards
- · PBT/vPvB: not applicable

3 Composition/information on ingredients					
• Chemical characterization: Epoxy, Part A Description: Mixture		<b>Description:</b> Mixture			
Ingredient	CAS Number	% by weight			
NJTTSRN-EP934-A		100%			

There are no additional ingredients present which, within the current knowledge of the suppliers and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First-aid measures

#### Inhalation:

Move to fresh air. Call a physician if symptoms develop or persist.

#### Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

#### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

### **Ingestion:**

Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

## Most important symptoms/effects, acute and delayed:

Direct contact with eyes may cause temporary irritation.

## Indication of immediate medical attention and special treatment needed:

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Symptoms may be delayed.

## General information:

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

(Cont. on page 3)

(Cont. of page 2)

*Printing Date 04/01/2023* 

Revision Date 04/01/2023

## 5. Fire-fighting measures

## Suitable extinguishing media:

Water fog. Foam. Dry chemical powder. Carbon dioxide(CO2).

## Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical:

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for firefighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## Fire-fighting equipment/instructions:

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

## **Specific methods:**

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

## General fire hazards:

Flammable liquid and vapor.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, seesection 8 of the SDS.

## Methods and materials for containment and cleaning up:

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

#### Large Spills:

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

#### Small Spills:

Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual

contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the

## SDS. Environmental precautions:

Avoid discharge into drains, water courses or onto the ground.

## Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont. on page 4)

(Contd. of page 3)
Revision Date 04/01/2023

Printing Date 04/01/2023

## 7. Handling and storage

Precautions for safe handling: Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.

Conditions for safe storage including any incompatibilities: Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

## 8. Exposure controls/personal protection

## EYE PROTECTION:

Safety glasses, splash goggles, or face shield. Contact lenses should not be worn.

## SKIN PROTECTION:

Avoid contact with skin and clothing. Use chemical resistant protective gloves.

## RESPIRATORY PROTECTION:

Avoid breathing vapors which may be produced under some conditions such as heating or applications. Avoid breathing aerosols and mists. Use NIOSH / MSHA approved respiratory protection equipment when airborne exposure is excessive. Observe OSHA regulations for respirator use (29 CFR 1910.134).

## **VENTILATION:**

Hazard control from vapor or spray mist is ideally performed by the use of engineering controls. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

(Cont. on page 5)

Printing Date 04/01/2023

Revision Date 04/01/2023 (Contd. of page 4)

9. Physical and chemical properties	3	
• Appearance Form: Color: • Odor: • Odor threshold:	Liquid Clear Pungent Not available	
• pH-value:	Not available	
Melting point/freezing point:     Boiling point:	Not available Not available	
• Flash point:	>240 °F (PMCC)	
• Evaporation rate:	Not available	
• Flammability (solid, gas) limits:	Not available	
• Lower and upper flammability limits:	Not available	
• Lower and upper explosive limits:	Not available	
• Vapor pressure:	Not available	
·Vapor density:	Not available	
• Viscosity:	Not available	
• Solubility:	Not available	
• Partition coefficient (n-octanol/water):	Not available	
• Auto ignition temperature:	Not Established	
<ul><li>Decomposition temperature:</li><li>Density:</li></ul>	Not available 9.45 lbs./gal	
		(Cont. on page 6)

(Contd. of page 5)
Revision Date 04/01/2023

Printing Date 04/01/2023

## 10. Stability and reactivity

#### . Reactivity:

Product is stable and non-reactive under normal conditions of use, storage and handling.

#### . Chemical stability:

Product is stable under normal conditions.

#### . Possibility of hazardous reactions:

Hazardous polymerization does not occur under normal conditions. However, polymerization may occur over 500 °F.

#### . Conditions to avoid:

Avoid heat, sparks, open flames and other ignitions sources. Avoid temperatures exceeding the flash point. Avoid contact with incompatible materials.

## . Incompatible materials:

Lewis or mineral acids, organic bases such as primary and secondary aliphatic amines, oxidizing agents, curing agents.

## . Hazardous decomposition products:

No hazardous decomposition products are known.

## 11. Toxicological information

- . Information on likely routes of exposure
- . Ingestion: Expected to be a low ingestionhazard.
- . Inhalation: Prolonged inhalation may be harmful.
- . Skin contact: May be harmful in contact with skin.
- . Eye contact: Direct contact with eyes may cause temporary irritation.
- . Symptoms related to the physical, chemical and toxicological characteristics: Direct contact with eyes may cause temporary irritation.
- . Information on toxicological effects
- . Acute toxicity: May be harmful in contact with skin. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.
- . Skin corrosion/irritation: Prolonged skin contact may cause temporary irritation.
- . Serious eye damage/eye irritation: Direct contact with eyes may cause temporary irritation.
- . Respiratory or skin sensitization
- . Respiratory sensitization: Not available.
- . Skin sensitization: This product is not expected to causeskin sensitization.
- . Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

#### . Carcinogenicity

Recent 2-year Bioassays in mice exposed by the dermal route to the Diglycidyl ether of Bisphenol A have yielded very limited evidence of weak carcinogenicity. The renal tumor evidence "was of no biological significance" and that the resin "is not a systemic carcinogen when applied to the dorsal skin of CF1 mice". Based on this, the international Agency for Research on cancer (IARC) concluded that DGEBPA was not classifiable as a carcinogen (IARC group 3) based on following:

Human and Animal evidence - Inadequate.

DGEBPA have proved to be inactive when tested by in vivo mutagenicity assays. They have shown activity in vitro microbial mutagenicity screening tests and have produced chromosomal aberrations in cultured rat liver cells. The significance of this information to man is unknown.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed

- . Reproductive toxicity: This product is not expected to cause reproductive or developmental effects.
- . Specific target organ toxicity single exposure: Not classified
- . Specific target organ toxicity repeated exposure: Not classified
- . Aspiration hazard: Notavailable.
- . Chronic effects: Prolonged inhalation may be harmful.

(Contd. on page 7)

Printing Date 04/01/2023

Revision Date 04/01/2023

(Contd. of page 6)

## 12 Ecological Information

**Ecotoxicity:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability: No data is available on the degradability of this product.

Bioaccumulative potential: No data available.

Mobility in soil: No dataavailable.

Other adverse effects: No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. **Local disposal regulations:** Dispose in accordance with all applicable regulations.

**Hazardous waste code:** The waste code should be assigned in discussion between the user, the producer and the waste disposal company. **Waste from residues / unused products:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

Transport hazard class(es)

· DOT

· Class not regulated (domestic ground, non-

bulk)

. UN "Model Regulation": UN3082. Environmentally hazardous substances, liquid, n.o.s. (Epoxy Resin), 9, III

## 15 Regulatory information

. Safety, health and environmental regulations specific for the substance or mixture.

#### Sara

. Section 355 (extremely hazardous substances):

None of the ingredients is listed.

. Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

. TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

#### Proposition 65

. Chemicals known to cause cancer:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

## . (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance List) or are exempt from DSL.

## . Carcinogenicity categories

. EPA (Environmental Protection Agency)

None of the ingredients listed.

. TLV (Threshold limit value established by ACGIH)

None of the ingredients listed.

. NIOSH - Ca (National Institute for Occupational Safety and Health)

None of the ingredients listed.

. OSHA - Ca (Occupational Safety and Health Administration)

None of the ingredients listed.

- . National regulations:
- . Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- . Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(contd. on page 10)

(Contd. of page 9)

Pr<u>inting Date 04/01/2023</u>

Revision Date 04/01/2023

## 16. Other information

. Hazardous Materials Information System (HMIS):

Health	2
Flammability	1
Physical Hazards	0

## . NFPA Rating:

Health	2
Flammability	1
Instability	1

Caution: HMIS® ratings are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). The customer is responsible for determining the PPE code for this material.

Although the information and recommendations contained in this SDS are presented in good faith and are believed to be correct as the date of this SDS, Wooster Products makes no representations as to the completeness or accuracy thereof. Final determination of suitability of any material is the sole responsibility of the user. In no event will Wooster Products or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.